

PANTONE FORMULAS 2006



References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
Yellow C			88.66	11.34								
Yellow 012 C			78.78	21.22								
Orange 021 C				33.22	59.46	7.32						
Warm Red C		10.94			81.58		7.48					
Red 032 C		31.09			34.70		34.22					
Rubine Red C					28.15			71.85				
Rhodamine Red C	44.17	4.48						51.35				
Purple C	63.62							31.64			4.74	
Violet C	69.94									1.59	28.47	
Blue 072 C	46.59									23.85	29.55	
Reflex Blue C	44.46									27.94	27.60	
Purple C	63.62							31.64			4.74	
Green C	43.83		5.14	0.12					50.90			
100 C		62.86	32.77	4.38								
101 C		34.44	60.13	5.43								
102 C			89.67	10.33								
103 C			77.87	20.55					0.21			1.38
104 C			80.06	17.50					0.10			2.34
105 C		2.35	81.38	10.23								6.03
106 C		37.01	53.81	9.18								
107 C		16.60	71.65	11.75								
108 C			80.47	19.53								
109 C			79.58	18.88	1.54							
110 C			67.36	31.31				0.53				0.80
111 C			70.88	26.14								2.99
112 C			71.27	24.26								4.47
113 C		34.75	54.01	10.49	0.75							
114 C		30.23	57.30	11.58	0.89							
115 C		25.70	64.49	7.25	2.55							
116 C			86.04	9.72	4.25							
117 C			60.09	38.00			0.37					1.54
118 C			61.53	35.28			0.45					2.74
119 C		3.76	77.79	10.52	2.48							5.46
120 C		60.41	27.46	11.12	1.01							
1205 C		81.76	9.17	8.32	0.76							
121 C		31.59	62.38		6.03							
1215 C		66.54	23.74	6.59	3.13							
122 C		8.72	82.31		8.97							
1225 C		18.62	71.60		9.79							
123 C		8.35	82.61		9.04							
1235 C		8.34	78.05		13.61							
124 C			79.63	12.83	6.42			0.78				0.35
1245 C			78.67	11.91	7.43						0.86	1.13
125 C			59.07	36.28				2.46				2.19
1255 C	12.23		62.74	12.26	9.58							3.19
126 C			59.45	33.76		2.63						4.17
1265 C	15.84		59.18	10.25	8.57							6.15
127 C		51.85	44.34		3.81							
128 C		34.63	60.60		4.78							
129 C		30.07	60.46	6.11	3.20		0.16					
130 C			77.83	20.64			1.53					
131 C			55.56	40.71				2.75				0.98
132 C			63.28	28.87		4.23						3.62

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
133 C			77.55	12.04			1.47					8.94
134 C		61.78	25.98	7.71	4.54							
1345 C		66.87	24.33		8.80							
135 C		28.96	60.38		10.66							
1355 C		53.69	34.36		11.96							
136 C		10.79	76.25		12.95							
1365 C		25.12	58.29		16.59							
137 C		11.53	36.22	36.30	15.95							
1375 C		11.08	62.21		26.71							
138 C				76.95	19.82	2.35						0.88
1385 C			27.99	41.67	27.43	1.53						1.38
139 C			32.76	55.87		8.82						2.55
1395 C			32.41	35.81	27.20							4.58
140 C			65.66	13.59	11.25			2.13				7.38
1405 C			58.05	8.39	22.58		0.86					10.12
141 C		50.20	43.91		5.75		0.14					
143 C		6.56	87.41		0.73	5.30						
144 C			42.29	50.79				6.92				
145 C			57.02	38.74			3.26					0.99
146 C			0.00	91.85			0.00	4.64				3.51
147 C		7.45	77.60			7.13						7.82
148 C		70.30	20.19		9.51							
1485 C		59.52		17.43	23.06							
149 C		56.54	29.99		13.47							
1495 C		20.60		33.51	45.89							
150 C		31.74	47.52		20.74							
1505 C				40.48	57.29	2.24						
151 C				59.65	35.78	4.58						
152 C			24.34	38.78	32.33	3.93						0.62
1525 C				36.18	55.66	6.36						1.80
153 C			28.31	33.76	33.11	2.49						2.33
1535 C			22.11	25.88	45.77						2.56	3.68
154 C			34.66	28.22	27.82	4.70						4.59
1545 C			22.09	25.98	45.80						2.53	3.60
155 C		85.24	8.96	1.86	3.95							
1555 C	30.00	56.30		3.91	9.45		0.34					
156 C		67.91	25.86		3.14	3.09						
1565 C		58.99	11.64		29.36							
157 C		20.21	74.19		2.20		3.40					
1575 C		29.92		13.37	56.71							
158 C			74.34	18.81			6.62					0.23
1585 C		3.01	16.73		79.04			1.21				
159 C			47.64	31.64		19.51						1.21
1595 C			49.53		40.02	9.55						0.90
160 C			73.80	2.39		20.93						2.88
1605 C		1.85	45.12		40.08	9.31						3.64
161 C			80.47			3.38	6.61					9.54
1615 C			43.42		41.46	9.01						6.11
162 C	30.00	57.03		3.27	9.44		0.26					
1625 C		72.15			27.18		0.67					
163 C	30.00	31.64	8.80		26.69	2.87						
1635 C		53.51	2.05		43.04		1.40					
164 C		20.10		0.15	79.75							
1645 C		18.08			79.75		2.17					

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
165 C				35.85	54.23	9.92						
1655 C					92.32	7.68						
166 C				34.13	55.96	9.43						0.48
1665 C				23.96	61.09	14.35						0.60
167 C				34.76	55.31	7.92						2.02
1675 C			6.04	18.60	58.83	13.11						3.43
168 C				16.73	66.81	6.67						9.79
1685 C			30.41		50.08	13.30						6.21
169 C	30.00	56.30			11.92			1.78				
170 C	30.00	38.89			27.00			4.11				
171 C	37.98				58.36		3.66					
172 C					96.40		3.60					
173 C		9.20			78.03	11.77						1.00
174 C			10.73		72.79	12.02						4.46
175 C				24.50	63.45		6.73			5.31		
176 C	35.00	55.24			7.05			2.71				
1765 C	30.00	56.88			8.43			4.68				
1767 C		88.60			6.67			4.72				
177 C	57.88	16.20			18.29			7.63				
1775 C	75.40				16.16			8.44				
178 C	30.00				53.11			16.89				
1785 C	35.00	36.60					28.41					
1787 C		73.76					26.24					
1788 C	34.24				54.92		10.83					
179 C					84.46		1.60	13.85		0.10		
1795 C					83.37		6.73	9.19				0.71
1797 C					68.74		2.60	28.42	0.23			
180 C					86.92		7.14	4.79		1.15		
1805 C					69.52	14.08		15.11		1.29		
1807 C					66.47		10.47	20.13	2.94			
181 C					80.13		12.49		4.49			2.90
1815 C					86.24		6.17					7.59
1817 C					65.67			23.78	4.57			5.98
182 C	30.00	62.57			4.37			3.06				
183 C	30.00	56.52			7.77			5.72				
184 C	35.00	26.85			21.74			16.42				
185 C		25.63			30.27		44.10					
186 C					67.37		6.58	25.77				0.29
187 C					75.39		7.88	12.22			4.51	
188 C					80.87		7.31		2.67		9.16	
189 C		86.77			7.34			5.89				
1895 C		92.14			3.96			3.91				
190 C		69.42			17.06			13.52				
1905 C		84.70			7.91			7.38				
191 C	35.00				35.04			29.96				
1915 C		52.46			21.47			26.07				
192 C	35.00				38.27		9.56	17.17				
1925 C		48.14					30.19	21.68				
193 C					61.47		4.32	32.77			1.44	
1935 C					48.56		6.60	44.40			0.43	
194 C					70.41			23.62	0.73		5.23	
1945 C					53.89		7.07	35.20			3.84	
195 C					61.68			30.39	5.41			2.53
1955 C					54.18		10.16	33.34		2.33		

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
196 C		94.19			4.04		0.30	1.47				
197 C		91.69	2.27				6.04					
198 C		57.59	6.18				29.49	6.74				
199 C		24.70	14.05				45.91	15.33				
201 C			6.52			40.74		50.17	2.58			
202 C			45.38				17.04	32.77				4.81
203 C		90.42			4.70			4.88				
204 C	30.00	57.94					3.84	8.22				
205 C	25.00	43.81					8.85	22.34				
206 C	30.00				8.22		26.21	35.57				
207 C					31.87		16.08	50.56				1.49
208 C			12.64		29.99			53.57				3.80
209 C				15.90		17.32		59.73	7.05			
210 C	30.00	59.49			3.88			6.63				
211 C	30.00	57.64					2.96	9.40				
212 C	30.00	45.27					4.58	20.15				
213 C	30.00	30.57					8.01	31.42				
214 C	51.90						17.42	29.62			1.07	
215 C	3.39				44.64			48.05			3.92	
216 C	9.84				65.28			11.23			13.66	
217 C		94.85			1.55			3.60				
218 C	35.00	44.68					1.71	18.61				
219 C	35.00				15.18			49.82				
220 C					3.36		15.24	79.86	1.53			
221 C					3.89		17.10	75.81	3.20			
222 C					17.79		1.39	72.07				8.75
223 C	30.00	58.53			2.38			9.09				
224 C	30.00	48.75			3.59			17.65				
225 C	48.94				8.59			42.46				
226 C	30.07						8.64	61.29				
227 C					10.64		8.51	77.52			3.34	
228 C					10.01		11.95	72.81	5.24			
229 C					49.60			36.36	2.89		8.72	2.43
230 C	30.00	61.31			2.29			6.39				
231 C	30.00	52.59			2.42			14.99				
232 C	30.00	33.64			0.72			35.64				
233 C	21.28						1.93	76.79				
234 C	12.20				18.24			65.38			4.18	
235 C					39.18			50.53			10.29	
236 C	30.00	62.09			0.85			7.06				
2365 C		93.81			1.33			4.86				
237 C	30.00	55.01						14.99				
2375 C	30.00	51.46						18.19			0.35	
238 C	30.00	43.61						26.38		0.01		
2385 C	55.47							43.50			1.03	
239 C	56.35							43.51			0.14	
2395 C	35.65							62.29			2.06	
240 C	32.82							66.20			0.98	
2405 C	8.75							87.10			4.16	
241 C					1.14			96.86	2.00			
2415 C	4.48							89.59			4.63	1.30
242 C					21.46			71.55	5.08			1.90
2425 C					1.97			93.13		1.51		3.40
243 C	30.00	64.82			0.23			4.94				

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
244 C	30.00	61.08						8.79			0.13	
245 C	30.00	56.27						13.16			0.57	
246 C	50.65							46.78			2.56	
247 C	40.37							56.00			3.63	
248 C	19.35							79.03		1.51		0.11
249 C	11.96				29.44			54.61		4.00		
250 C	30.00	66.05			0.09			3.86				
251 C	30.00	60.26						9.46		0.28		
252 C	30.00	54.61						13.30			2.09	
253 C	54.74							38.90			6.36	
254 C	46.66							45.85		0.19	7.30	
255 C		10.57	9.28					76.46		3.69		
256 C		97.94						1.19			0.87	
2562 C	30.00	65.30						3.10			1.60	
2563 C		93.40						4.49		0.11	2.00	
2567 C		95.96						0.12			3.92	
257 C		91.78	0.23					7.47		0.52		
2572 C		90.06						6.94			3.01	
2573 C		86.61						8.46			4.93	
2577 C	30.00	62.11						1.13			6.76	
258 C		54.49	0.74					42.49		2.29		
2583 C	30.00	48.45						14.03			7.52	
2587 C	35.00	45.01						6.37			13.62	
259 C		19.41						76.13	0.90	3.55		
2592 C	62.07							25.22			12.71	
2593 C	30.00							65.45		4.55		
2597 C	35.00							43.82		2.95	18.22	
260 C		16.71	0.23					74.79	8.27			
2602 C	48.32							36.31			15.37	
2603 C								93.06	1.80	5.13		
2607 C	30.00	3.74						44.48		3.10	18.68	
261 C		9.13			10.34			70.06	10.46			
2612 C			17.25		18.77			53.47		5.20	5.31	
2613 C		11.99						81.75		4.73	1.53	
2617 C			6.91					79.85		6.76	6.48	
262 C		6.57		12.66				68.91	11.86			
2623 C		11.66	8.26					64.92		2.63	12.53	
2627 C		10.44						62.54	4.50		21.79	0.73
263 C	30.00	68.92								0.05	1.03	
2635 C		97.75								0.32	1.93	
264 C	30.00	67.60								0.07	2.33	
2645 C		95.81								0.44	3.76	
265 C	30.00	60.73								0.41	8.86	
2655 C	30.00	62.71								0.67	6.62	
266 C	79.91									0.81	19.28	
2665 C	84.96									1.75	13.29	
267 C	61.02							17.21		2.36	19.41	
268 C	24.26							55.50	9.98		10.26	
2685 C	20.00							52.51		6.54	20.95	
269 C		4.94	15.71					68.58		6.74	4.03	
2695 C					33.20			43.98		8.84	13.98	
270 C		93.44						5.31		1.24		
2705 C		96.38								0.96	2.66	
2706 C		97.26						2.08		0.66		

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
2707 C		97.82						1.31		0.88		
2708 C		95.92						2.71		1.37		
271 C		87.51						9.02		2.44	1.04	
2715 C		92.23								2.06	5.71	
2716 C		96.42								1.27	2.31	
2717 C		95.26						2.92		1.83		
2718 C		89.11								5.80	5.09	
272 C		86.63						4.96		2.95	5.46	
2725 C	43.00	43.80								3.45	9.75	
2726 C	35.00	49.64								5.62	9.73	
2727 C		85.32								9.10	5.57	
2728 C	73.36									11.78	14.85	
273 C								77.57	3.95	8.82	9.65	
2735 C	56.92									4.41	38.67	
2736 C	65.58									8.78	25.64	
2738 C	58.06									10.07	31.87	
274 C							2.71	61.34	14.19		21.75	
2745 C								74.63		12.35	13.02	
2746 C	30.00							48.84		12.68	8.48	
2747 C								41.01		41.97	15.86	1.16
2748 C	39.86								15.20	1.64	43.30	
2755 C								64.67	6.55	7.12	21.66	
2756 C			15.20					58.86		15.08	10.86	
2757 C							10.41			65.26	24.33	
2758 C								44.03	20.59	0.79	34.59	
276 C							17.08	54.35	22.14		6.44	
2765 C		4.50						46.49	13.96		35.05	
2766 C				22.38				47.25		13.02	17.34	
2767 C			9.71					69.71		12.76		7.81
2768 C								63.56		10.65	18.04	7.75
277 C		96.82						1.77		1.41		
278 C		92.98						4.02		3.00		
279 C		89.59								7.16	3.24	
280 C								60.25	6.07	24.58	9.10	
281 C								56.48	20.14	8.59	14.78	
282 C								69.63		12.81	9.14	8.42
283 C		94.67						2.82		2.52		
284 C		93.68								4.66	1.66	
285 C	30.00	51.36								15.06	3.58	
286 C	48.40							3.61		33.22	14.78	
287 C								55.64	0.96	43.40		
288 C								55.76	14.86	20.50	8.89	
289 C								57.65		19.81	11.57	10.97
290 C		98.76						0.39		0.85		
2905 C		96.12						1.22		2.67		
291 C		96.53						1.49		1.98		
2915 C		92.63						2.11		5.27		
292 C		93.11								5.57	1.33	
2925 C		81.71						1.35		16.36	0.58	
293 C	47.48							4.64		38.72	9.16	
2935 C		40.34								56.24	3.42	
294 C								56.01	11.65	31.55		0.79
2945 C		16.03					0.97	6.03		76.98		
295 C								59.40	7.55	27.85		5.20

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
2955 C			13.34					40.39		42.23		4.04
296 C			11.71							22.85	50.88	14.56
2965 C								58.49	2.76	25.44		13.30
297 C		95.63						0.53		3.85		
2975 C		98.36							0.13	1.50		
298 C		92.14						0.73		7.13		
2985 C		94.93						0.50		4.57		
299 C		84.13								15.73	0.14	
2995 C		86.77							0.82	12.41		
300 C		37.45								62.55		
3005 C	25.00	38.89							1.88	34.23		
301 C		12.32		1.48	7.53					78.66		
3015 C	15.00	31.26		5.33	0.02					48.38		
302 C		2.95		2.87	32.60					61.58		
3025 C		18.08		9.04	14.73					58.14		
303 C				38.64						47.49	13.87	
3035 C		34.32								52.86	0.46	12.36
304 C		97.97							0.80	1.23		
305 C		95.23							0.97	3.80		
306 C		91.25							1.62	7.12		
307 C	54.96	4.05		3.73						37.27		
308 C	20.00	5.81		12.19						62.00		
309 C		1.64		10.13	45.09					43.14		
310 C		94.71							2.16	3.13		
3105 C		94.45							2.85	2.70		
311 C		92.40							2.86	4.74		
3115 C		92.17							3.63	4.21		
312 C	30.00	53.19							6.34	10.47		
3125 C	35.00	50.07							7.29	7.64		
313 C	30.00	40.00							9.98	20.02		
3135 C	61.20		3.46						11.77	23.57		
314 C		48.90							17.70	33.40		
3145 C	35.00		20.94	2.77						41.28		
315 C	52.94						6.72		15.94	24.40		
3155 C		28.92		8.56					21.70	40.82		
316 C		18.17				20.36			15.34	46.12		
3165 C		20.74				11.27			28.90	39.09		
317 C		98.04							1.69	0.27		
318 C		96.69							2.17	1.14		
319 C		92.20							5.39	2.42		
320 C	63.50	3.40							18.74	14.37		
321 C	61.20								19.12	17.76		1.92
322 C	63.92								13.13	17.64		5.31
323 C		24.08			21.64				34.30	19.98		
324 C		97.19							2.46	0.36		
3242 C		93.75							5.86	0.39		
3245 C		92.52	0.74						6.74			
3248 C		90.77	6.63						0.51	2.09		
325 C		91.46	4.34						1.49	2.72		
3252 C		91.70							7.70	0.60		
3255 C		89.83	0.55						9.62			
3258 C		85.11	10.47	0.63						3.80		
326 C		73.91	13.66	1.32					2.78	8.33		
3262 C	30.00	52.90							15.19	1.92		

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
3265 C	35.00	48.24							16.50	0.26		
3268 C		62.53	15.48	2.81					13.52	5.66		
327 C		32.38		0.63					58.05	8.94		
3272 C	55.72		7.89						26.35	10.04		
3275 C	61.98		7.18						25.98	4.85		
3278 C		45.49	26.96	3.30					14.75	9.50		
328 C		11.53	42.62	9.08						36.78		
3282 C	57.62								29.13	9.99		3.26
3285 C		49.73			4.37				44.03	1.88		
3288 C		25.69	43.09	9.84						21.38		
329 C		11.70	31.88	17.45						38.97		
3292 C		10.87			26.80				49.10	13.23		
3295 C		29.64			11.37				55.83	3.17		
3298 C		22.10	22.94	27.22						27.74		
330 C		24.92	27.86			20.01				27.21		
3302 C		11.39		27.86					46.37	5.46	8.92	
3305 C		12.64		27.06					52.08		8.22	
3308 C			23.40	44.81						23.31	8.49	
331 C		95.93	1.49						2.58			
332 C		93.23	2.62						4.15			
333 C	30.00	58.62	2.75						8.62			
334 C		39.73	6.19	1.83					52.26			
335 C		23.10		2.89	10.85				63.16			
336 C		14.72			21.54		1.54		62.20			
337 C		90.88	7.20						0.57	1.35		
3375 C		86.35	7.65						5.99			
338 C		85.71	11.03	0.54						2.71		
3385 C		83.59	8.80						7.62			
339 C		54.88	34.41	2.58						8.12		
3395 C		52.87	27.22						19.90			
340 C		23.77	41.23	5.44					22.15	7.42		
341 C		16.31	40.39	21.99						21.30		
3415 C		11.32	16.58	9.30	10.69				52.11			
342 C		15.55	30.64	29.44						22.82		1.55
3425 C		6.29		16.10	18.26			3.14	56.21			
343 C		13.30	46.57			20.75				19.38		
3435 C		7.81		9.55	20.64				54.63			7.38
344 C		85.18	13.16	0.21						1.45		
345 C		81.04	15.93	0.94						2.09		
346 C		68.25	25.84	2.37						3.53		
347 C			70.83	9.91					11.69	7.58		
348 C			58.40	23.83					3.69	14.08		
349 C			44.18	32.40				7.46		15.97		
350 C			19.23	46.44				20.20		14.13		
351 C		84.31	12.56						3.13			
352 C		77.94	17.58						4.49			
353 C		75.06	19.21						5.73			
354 C			66.51	8.27					25.22			
355 C			43.02	21.57					35.41			
356 C			14.90	36.80					46.33			1.97
357 C	15.00	1.09		46.26					30.88		6.78	
358 C		62.63	33.52	2.37						1.48		
359 C		58.42	37.08	2.81						1.70		
360 C		8.90	80.58	6.59						3.92		

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
361 C			72.01	16.19					9.36	2.43		
362 C			72.80	19.77				0.74		6.69		
364 C			73.10	16.62						6.59		3.70
365 C		66.30	31.22	1.80						0.68		
366 C		60.03	37.09	2.02						0.86		
367 C		33.51	60.62	4.39						1.49		
368 C			86.82	9.87						3.31		
369 C			68.51	26.30						5.19		
370 C			62.39	28.93		2.89				5.79		
371 C		6.46	68.10	15.61						3.53		6.30
372 C		72.36	27.28						0.36			
373 C		63.39	36.08						0.53			
374 C		44.24	53.22	1.30					1.24			
375 C			87.93	8.35					3.72			
376 C			68.22	24.95					6.64			0.19
377 C			72.74	19.53					5.60			2.13
378 C			70.37	15.96					5.44			8.23
379 C		43.15	53.83	2.68					0.33			
380 C		15.23	80.61	3.79						0.37		
381 C			89.66	8.94					1.40			
382 C			89.13	9.76					0.43	0.68		
383 C			76.74	21.04						1.35		0.87
384 C			69.41	26.88						1.62		2.08
385 C			81.74	10.65						0.86		6.75
386 C		47.87	50.23	1.90								
387 C		16.77	80.54	2.45					0.24			
388 C			94.85	4.55					0.59			
389 C			91.16	7.88					0.96			
390 C			68.07	30.71						1.22		
391 C			60.74	35.91						1.36		2.00
392 C			59.83	34.69						1.52		3.96
393 C		57.29	38.86	3.85								
3935 C		52.88	42.47	4.64								
394 C		26.15	70.99	2.86								
3945 C		11.87	83.03	5.09								
395 C			94.75	5.01					0.23			
3955 C			86.84	12.90					0.26			
396 C			89.68	9.73					0.59			
3965 C			80.83	18.57					0.59			
397 C			55.60	43.25						1.14		
3975 C			72.26	24.96					0.63			2.15
398 C			65.42	32.39						0.84		1.35
3985 C			58.38	36.79						0.89		3.94
399 C			56.32	40.19						1.13		2.35
3995 C			71.19	18.40					0.72			9.68
400 C		98.33			0.30							1.37
401 C		95.29	0.64		1.34							2.73
402 C		92.49		0.60	2.45							4.46
403 C		81.35	5.20		5.09	1.08						7.28
404 C		68.68		8.74	11.06							11.53
405 C		48.45		33.68							4.48	13.39
406 C		97.29		0.88				0.63				1.20
407 C		93.34	2.96				0.88					2.81
408 C		87.59		4.96				3.02				4.43

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
409 C		76.96		10.43				5.54				7.07
410 C		60.91		18.20				10.27				10.62
411 C		11.76		33.76	20.86			25.62		8.00		
412 C					49.48	27.65				11.60	6.82	4.45
413 C		98.01	0.60						0.10			1.29
414 C		95.21	1.69						0.07			3.02
415 C		90.25	4.46							0.01		5.28
416 C		80.47	10.15		1.02							8.36
417 C		54.91	13.25		22.24					3.02		6.58
418 C		36.20	17.65		31.19					4.25		10.71
419 C				51.82						5.65	11.36	31.17
420 C		98.26						0.56	0.39			0.79
421 C		97.19						0.70		0.33		1.78
422 C		83.61	4.15		8.26		1.64			2.34		
423 C		75.07	6.76		12.09		2.59			3.48		
424 C		60.38	16.48		10.41		7.00			5.74		
425 C		27.60		35.57				28.24		8.59		
426 C					28.18			42.88		5.79		23.15
427 C		98.71						0.48		0.24		0.57
428 C		97.69						0.96		0.42		0.94
429 C		95.35						1.93		0.81		1.91
430 C		75.69	7.21		8.97		3.86			4.27		
431 C		49.91	16.11	19.16						5.47	9.35	
432 C		20.26	24.08	28.96						9.58	17.12	
433 C			5.38					64.77		8.11		21.74
434 C		91.81			5.41			1.48	1.30			
435 C		88.94			8.48				1.63		0.95	
436 C		81.22			14.41				2.57		1.80	
437 C		45.53			42.60				6.44		5.44	
438 C					63.68			16.77	17.66		1.89	
439 C					71.86				16.80		7.63	3.71
440 C					67.75				18.10		6.89	7.25
441 C		90.49			6.69		0.15		2.68			
442 C		86.83			9.03				3.61		0.53	
443 C		77.55			15.18				6.05		1.21	
444 C		63.03			24.41				10.19		2.37	
445 C		29.06			46.14				18.90		5.89	
446 C		14.82			55.60				22.78		6.81	
447 C		4.32		27.26	33.86				22.15		12.42	
448 C			60.23			22.97		9.44		7.35		
4485 C			79.14	7.32			2.10					11.43
449 C			84.34				4.08			2.01		9.57
4495 C			82.25	9.73			2.23			0.42		5.37
450 C			84.35	2.72								12.93
4505 C		20.06	65.61	9.06			1.20					4.07
451 C		40.18	53.58				4.19			2.05		
4515 C		52.60	35.83	7.68				1.44				2.44
452 C		65.46	30.71				2.59			1.25		
4525 C		72.17	20.78	4.50				1.04				1.52
453 C		78.47	19.06				1.68			0.79		
4535 C		80.34	14.64	3.17				0.85				1.00
454 C		87.49	11.06				0.88	0.15		0.41		
4545 C		89.38	9.26			0.95						0.40
455 C			68.43	20.22								11.35

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
456 C			70.01	25.28								4.72
457 C			76.14	20.22				1.09				2.55
458 C		33.43	59.16	6.48					0.11		0.82	
459 C		50.13	43.38	5.96							0.53	
460 C		68.78	24.65	6.39							0.18	
461 C		81.70	12.91	5.39								
462 C			81.28				7.89			1.78		9.05
4625 C			37.05		46.24							16.71
463 C			86.28				5.45					8.27
4635 C		25.51		28.51	40.72							5.25
464 C			81.07			12.97						5.97
4645 C		53.24		18.52	24.76							3.48
465 C		28.13	66.72				4.02			1.13		
4655 C		60.98	16.46		15.34	5.93				1.30		
466 C		57.99	37.84	2.12							2.05	
4665 C		83.19		8.04	6.37			0.95				1.44
467 C		78.19	19.42	0.52			1.51			0.36		
4675 C		87.49	5.72		5.41	0.57						0.81
468 C		88.67	10.32				0.69	0.22		0.10		
4685 C		91.51	3.15	3.44	1.27						0.62	
469 C			35.44	12.93	32.37	7.83						11.43
4695 C			64.60		8.50		13.62					13.28
470 C			55.41		32.64	7.64					0.69	3.62
4705 C		16.91	61.66				17.68			3.75		
471 C			52.31		36.06	9.33						2.30
4715 C		43.14	43.78				10.76			2.32		
472 C		50.86	17.37	13.09	17.36						1.32	
4725 C		71.76	21.57				3.98					2.70
473 C		82.85	8.39		6.19	2.57						
4735 C		76.22	15.63	5.17							2.98	
474 C		85.70	4.97	2.01	5.82	1.50						
4745 C		84.40	9.87	3.79							1.94	
475 C		89.88		5.10	4.77			0.25				
4755 C		90.84	7.34				1.52			0.31		
476 C			68.43				5.72	12.11				13.75
477 C			76.31				13.56					10.13
478 C			71.59			8.90	11.45					8.06
479 C		44.35	44.42				4.97	4.91		1.35		
480 C		79.87	15.75				2.43	1.34		0.61		
481 C		84.38	11.58				0.35	3.45		0.23		
482 C		87.41	9.49					3.01		0.09		
483 C			70.97				12.47	7.75				8.82
484 C			69.43			10.06	17.15					3.37
485 C			78.33				21.34					0.34
486 C		60.85	31.04		1.81		6.31					
487 C		75.06	17.37		4.02		3.55					
488 C		85.79	8.68		4.02		1.50					
489 C		91.80	2.74	2.28	2.29		0.88					
490 C					70.90			14.97	5.29			8.84
491 C					88.02		5.50			4.35	2.14	
492 C					76.49			16.87	4.63		2.00	
493 C		70.22			18.45			10.17			1.16	
494 C		83.50			9.71			6.54			0.25	
495 C		91.42			5.30			3.27				

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
496 C		93.91			4.02			2.07				
497 C					65.67	13.99			14.06		6.29	
4975 C		3.66		1.27	76.21							18.86
498 C					76.97		8.28		13.02		1.73	
4985 C		22.39			65.26				1.83		10.52	
499 C					75.93		5.46	8.36	10.24			
4995 C		44.17			47.43				1.29		7.11	
500 C		69.45			26.75						3.80	
5005 C		65.23			29.61				1.38		3.78	
501 C		84.92			13.19						1.88	
5015 C		82.92			14.41				0.93		1.74	
502 C		92.74			5.83			0.88			0.55	
5025 C		93.29			5.61						0.66	0.44
503 C		94.85			3.63			1.53				
5035 C		95.76		1.39	2.25						0.59	
504 C					79.47		10.31			6.76		3.46
505 C					84.93			3.67		2.73	8.67	
506 C		15.57			67.13			5.92			11.39	
507 C		83.38			8.94			6.76			0.92	
508 C		90.50			4.27			5.22				
509 C		91.18			4.58			4.24				
510 C		92.61			4.54			2.85				
511 C	26.94				52.39				4.33		16.35	
5115 C					40.27			44.51	10.68			4.54
512 C		14.06			2.11			78.08	5.74			
5125 C		11.20	17.21		16.67			49.75		5.17		
513 C		31.41						58.99			9.60	
5135 C		53.14						39.84	0.95			6.06
514 C		82.35						16.63			1.02	
5145 C		77.58						18.25		0.20		3.98
515 C		90.89						9.06			0.05	
5155 C		86.92		4.34				7.80		0.94		
516 C		93.32			1.11			5.57				
5165 C		92.44	1.86			1.51		3.63		0.56		
517 C		94.84			1.62			3.54				
5175 C		95.53	2.38	0.95							1.14	
518 C		5.48				17.52		60.54	16.46			
5185 C		4.80			79.38					7.44	8.38	
519 C		6.64			16.98			63.51	12.88			
5195 C		30.77			53.35					2.73	13.15	
520 C		15.10	2.74					72.16	10.00			
5205 C		61.25			31.24					1.95	5.56	
521 C		74.43	2.08					20.40	3.08			
5215 C		80.61			15.89					1.19	2.31	
522 C		84.73	1.70					11.62	1.95			
5225 C		88.56			7.82			2.73		0.89		
523 C		90.68	1.52					6.65	1.15			
5235 C		92.94			5.12			1.42		0.53		
524 C		92.97	2.41					4.24		0.38		
5245 C		97.11			1.92			0.82		0.15		
525 C		14.07	7.03					71.15		5.07		2.68
5255 C					53.41	9.40				9.59	27.59	
526 C		25.79						69.37		4.84		
5265 C		23.57					2.44	55.27	18.72			

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
527 C	67.99							15.60		0.80	15.61	
5275 C		73.44								3.67	16.73	6.16
528 C		89.98						5.24			4.78	
5285 C		91.18								1.33	4.94	2.56
529 C		95.30						2.45			2.25	
5295 C		97.02								0.51	1.56	0.90
530 C		96.96						2.50		0.05	0.48	
5305 C		98.19								0.33	0.90	0.58
531 C		96.70						3.11			0.19	
5315 C		99.22								0.17	0.41	0.20
532 C						25.71		44.29	28.06	1.93		
533 C				6.47		8.33		54.65	30.55			
534 C		14.86	2.49					52.84	29.81			
535 C		79.42	2.28					12.05	6.25			
536 C		87.29	1.92					7.12	3.67			
537 C		95.24	3.02							0.65	1.09	
538 C		96.22	1.72					1.52		0.54		
539 C			18.59					54.51		18.70		8.20
540 C	35.80							35.23		21.39		7.58
5405 C		37.02	21.95					25.94		15.09		
541 C	9.43		23.74					40.37		26.45		
5415 C		52.33	17.43	0.95				19.51		9.78		
542 C		85.12	2.48					5.83		6.56		
5425 C		76.75	7.90	1.83				9.30		4.22		
543 C		96.29						1.89		1.82		
5435 C		91.53	3.54					3.35		1.48		0.10
544 C		97.94						0.95		1.11		
5445 C		95.27	1.93					1.88		0.91		
545 C		98.71						0.56		0.73		
5455 C		96.82	1.45					1.11		0.62		
546 C			37.58					38.29		15.97		8.16
5463 C						34.33		11.10	5.37	49.21		
5467 C			55.29					27.66		8.09		8.96
547 C			44.76					16.07		27.79		
5473 C		63.59							9.98	17.17		9.25
5477 C		21.65	28.07	18.78				22.01		9.49		
548 C	23.30		33.59							29.50		
5483 C		88.75							1.75	5.74		3.76
5487 C		49.35	19.33	12.41				13.23		5.68		
549 C		75.32	12.24					7.32		5.11		
5493 C		95.71						0.31		2.27		1.71
5497 C		78.02	15.09				3.69			3.19		
550 C		88.28	5.83					3.50		2.38		
5503 C		97.32							0.09	1.47		1.12
5507 C		89.71	6.04					2.09		1.05		1.11
551 C		92.79	3.67					2.03		1.50		
5513 C		97.59	0.72							1.00		0.69
5517 C		92.20	4.21			1.12		1.52		0.94		
552 C		96.42	1.84					0.90		0.84		
5523 C		97.07		0.67				0.86	1.40			
5527 C		93.44	4.04			0.66		1.21		0.65		
553 C			67.88					15.05		7.96		9.11
5535 C				48.04					34.84		15.09	2.03
554 C			58.78	14.48				16.39		10.35		

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
5545 C		34.33		16.26	20.29				25.29		3.83	
555 C			77.59	0.55				14.14		7.72		
5555 C		57.16		11.48	9.78			7.52	14.07			
556 C		65.16	29.05				2.33			3.47		
5565 C		84.98	3.20		3.95				5.08			2.78
557 C		81.81	14.92				1.32			1.94		
558 C		87.26	10.50				0.90			1.35		
559 C		89.78	8.22					1.28		0.72		
560 C		7.46			31.73	11.86			44.55		4.41	
5605 C			51.22					21.47		5.65		21.66
561 C		16.66			33.63				47.66		2.06	
5615 C		22.71	33.20	20.08				16.96		7.05		
562 C		40.08			19.53				39.54		0.85	
5625 C		43.00	25.50	14.74				11.91		4.86		
563 C		85.60			5.90				8.38		0.12	
5635 C		78.83	15.10					2.51		1.29		2.27
564 C		91.32		0.24	3.46				4.98			
5645 C		89.88	7.01					1.31		0.67		1.12
565 C		95.85	0.71		1.08				2.36			
5655 C		89.53	7.64					1.31		0.58		0.93
566 C		96.71	1.42		0.40				1.47			
5665 C		92.69	5.52					0.89		0.36		0.54
567 C					51.99				26.86	13.18		7.97
568 C		11.31			37.05				46.03	5.62		
569 C		33.65	0.61		15.55				50.19			
570 C		90.30		0.02	2.74				6.94			
571 C		95.62	0.58		0.51				3.29			
572 C		95.65	0.89		0.71				2.75			
573 C		95.94	2.23						1.83			
574 C			83.42							2.67		13.91
5743 C			73.80	6.03				7.08		3.58		9.50
5747 C			64.65	18.12					4.88			12.35
575 C			90.96							3.04		6.00
5753 C		17.83	72.74							0.91		8.52
5757 C			57.61	19.88	15.55		1.87			5.09		
576 C			94.81				0.45			2.40		2.34
5763 C		26.68	65.61							0.64		7.07
5767 C		32.08	51.25	11.29					1.51			3.86
577 C		59.87	34.11	2.76				2.08		1.18		
5773 C		46.93	47.96							0.29		4.81
5777 C		43.33	41.56		12.33	0.77				2.02		
578 C		70.19	25.43	2.03				1.51		0.84		
5783 C		71.56	25.45							0.14		2.85
5787 C		73.78	19.92	4.11					0.51			1.68
579 C		72.54	23.40	2.04				1.29		0.73		
5793 C		82.50	15.60							0.07		1.83
5797 C		85.32	11.06	2.36					0.28			0.98
580 C		81.33	17.16			1.04				0.47		
5803 C		88.71	10.14							0.02		1.13
5807 C		90.25	7.54	1.51					0.13			0.57
581 C			79.00	10.29					0.99			9.71
5815 C			67.21	16.39				3.29		1.93		11.18
582 C			79.92	16.27						1.00		2.81
5825 C			53.63	29.45	5.86			7.39		3.66		

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
583 C			80.62	16.58				1.47		1.33		
5835 C		36.03	53.46	6.85								3.66
584 C		28.09	66.50	4.71			0.27			0.43		
5845 C		48.08	43.09	6.00								2.83
585 C		59.33	36.16	4.33						0.18		
5855 C		75.18	19.66	3.60								1.57
586 C		67.31	29.12	3.47						0.09		
5865 C		84.97	11.36	2.72								0.95
587 C		75.25	22.29	2.45								
5875 C		87.99	9.31	1.89				0.18				0.62
600 C		82.99	13.29	3.72								
601 C		76.83	19.01	4.16								
602 C		66.89	28.17	4.94								
603 C		38.09	55.55	6.36								
604 C		6.87	85.31	7.68								0.14
605 C			82.42	17.46						0.13		
606 C			78.94	20.18					0.16			0.71
607 C		89.26	7.77	2.97								
608 C		79.94	15.99	4.04							0.03	
609 C		67.26	28.76	3.74							0.25	
610 C		50.86	42.96	5.71								0.47
611 C		11.35	81.17	6.48							0.12	0.88
612 C			80.49	17.74						0.23		1.54
613 C			73.43	23.76						0.24		2.57
614 C		84.12	11.08	3.94				0.70		0.16		
615 C		76.44	18.84	3.88				0.18				0.66
616 C		71.76	22.20	5.05								0.99
617 C		55.49	36.42	6.60								1.50
618 C		17.17	71.35	8.68							0.20	2.60
619 C			80.26	15.39						0.18		4.17
620 C			72.36	21.77						0.43		5.44
621 C		96.44	2.18		0.93					0.45		
622 C		88.11	5.59		4.79					1.50		
623 C		78.12	9.85		9.15					2.88		
624 C		78.34	6.66		4.10				7.71			3.19
625 C		48.73		14.12	9.89			7.81	19.45			
626 C		20.98			24.53	10.47		2.65	41.37			
627 C					44.65				28.64	14.25		12.46
628 C		98.84							0.77	0.38		
629 C		95.89	2.18					0.24		1.69		
630 C		95.64					0.39		1.92	2.05		
631 C		89.63				1.71			2.35	6.31		
632 C		73.47		5.70					1.55	19.28		
633 C		50.68		6.12					7.03	36.17		
634 C		29.41		6.95					9.96	53.69		
635 C		98.02							0.84	1.14		
636 C		97.86							0.32	1.82		
637 C		94.04							1.46	4.50		
638 C		85.53							3.62	10.85		
639 C		72.12							6.24	21.64		
640 C	35.00	29.16							6.59	29.25		
641 C	49.70					3.55			1.93	44.82		
642 C		98.91						0.63		0.46		
643 C		97.75	0.23					1.27		0.74		

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
644 C		91.93	1.75					3.91		2.07		0.34
645 C		80.67	5.96	0.44				8.91		4.02		
646 C		68.47	9.04					15.18		7.31		
647 C		35.74	13.29					31.92		19.05		
648 C								68.23	15.57	12.51		3.69
649 C		99.58						0.20		0.22		
650 C		97.14	0.49					1.62		0.75		
651 C		90.30	3.09					4.79		1.82		
652 C		75.39	7.67					12.06		4.89		
653 C		40.42	14.18					29.60		15.81		
654 C			17.60					55.52		23.62		3.26
655 C								61.53		26.37	3.84	8.26
656 C		98.83						0.69		0.48		
657 C		98.11						1.18		0.71		
658 C		94.99						3.30		1.71		
659 C		88.15	0.33					7.23		4.29		
660 C		72.20						15.17	0.14	12.49		
661 C								43.64		56.36		
662 C								52.51	9.56	26.63	11.30	
663 C		99.87									0.13	
664 C		99.39								0.09	0.51	
665 C		97.78		0.74						0.26	1.22	
666 C		94.95								0.35	3.36	1.34
667 C		86.32								0.37	10.05	3.26
668 C		69.43	1.86								23.68	5.03
669 C		31.38						22.47			39.65	6.51
670 C		97.43			0.54			2.03				
671 C		95.82			0.83			3.35				
672 C		89.13	2.19					8.68				
673 C		82.30	2.35					15.13				0.22
674 C		55.83	5.37					38.20	0.60			
675 C		26.81			8.39			63.62	1.18			
676 C					22.17		5.39	69.40	3.04			
677 C		96.97	0.61			0.25		2.17				
678 C		96.46	0.56					2.95				0.04
679 C		93.03	1.83					5.03		0.11		
680 C		88.31	0.97					9.89				0.82
681 C		65.25		5.63				27.32	1.80			
682 C		32.19			17.23			47.36	3.22			
683 C					35.83			57.26	4.89			2.02
684 C		95.97			1.94			2.08				
685 C		94.15			3.54			1.61			0.69	
686 C		91.22			5.51			1.79			1.49	
687 C		80.51			10.79			5.68			3.02	
688 C		65.76			16.43			13.12			4.69	
689 C		37.15			27.84			26.74			8.27	
690 C					53.06			33.76	4.77		8.42	
691 C		97.00			1.82			1.18				
692 C		94.31	0.26		4.69						0.75	
693 C		89.61	1.22		6.51	1.00					1.66	
694 C		83.63			8.39	4.84					3.15	
695 C		52.74			26.67			18.12	2.47			
696 C		21.74			40.55			33.95	3.76			
697 C					67.29			24.14	4.37		4.19	

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
698 C		96.34			2.30			1.37				
699 C		94.06			3.90			2.03				
700 C		87.68			7.62			4.70				
701 C		78.66			13.09			7.82			0.42	
702 C		53.41			25.01			21.13	0.45			
703 C		21.25			40.03			37.76	0.97			
704 C					59.31		2.08	36.58	2.03			
705 C	97.38				1.48			1.14				
706 C	87.15	8.69			2.67			1.50				
707 C		89.44			6.35			4.20				
708 C		77.34			13.45			9.22				
709 C	68.35				17.26		2.35	12.04				
710 C	45.61				32.47		2.06	19.86				
711 C	49.16				28.52		20.76				1.56	
712 C		87.46		4.88	7.66							
713 C		84.43		5.90	9.67							
714 C		66.91		13.99	19.10							
715 C		42.18		28.59	28.89						0.33	
716 C		8.86		49.61	40.56						0.98	
717 C				44.24	52.37	2.78						0.61
718 C				37.29	57.62	4.07						1.02
720 C		81.93		7.96	9.57							0.53
721 C		66.90		15.29	16.77							1.05
722 C		34.05		31.64	32.38							1.93
723 C		15.42		37.86	44.10							2.62
724 C				40.95	51.98	2.58						4.49
725 C				39.89	52.65							7.46
726 C		90.82		3.75	4.95							0.48
727 C		86.79		5.09	7.30							0.83
728 C		78.42		8.54	11.66							1.38
729 C		50.60		22.38	24.36							2.65
730 C		21.87		35.06	39.03							4.04
731 C				38.39	50.67	2.44						8.50
732 C			41.13		46.01							12.86
7401 C		94.01		5.68	0.31							
7402 C		85.82	5.16	9.02								0.00
7403 C		62.57	33.33		2.75	1.35						
7404 C		7.61	85.39	5.31		1.69						
7405 C			79.43	19.79				0.56				0.22
7406 C			63.08	35.73				0.82				0.38
7407 C		33.53	41.95	12.75	10.25							1.52
7408 C		5.75	65.71	26.24				2.29				
7409 C			92.80	1.74		5.46						
7410 C		59.36		16.91	22.53			1.20				
7411 C		26.67	69.47				3.65					0.22
7412 C		14.53		37.49	46.12							1.86
7413 C			86.74	7.23			5.34					0.69
7414 C				53.28	43.25						1.58	1.89
7415 C		91.00	7.12				1.88					
7416 C		36.10	52.94				10.91			0.04		
7417 C		10.23	69.45				11.49	8.83				
7418 C		20.87			52.11			25.96	1.06			
7419 C		23.77			52.96			18.23			5.03	
7420 C					45.91		9.59	41.00	3.49			

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
7421 C					48.19		7.46	34.76				9.59
7422 C		95.24			3.42			1.34				
7423 C		61.31			18.65			20.04				
7424 C	43.21				22.84			33.95				
7425 C		9.29			34.70			55.21	0.80			
7426 C					42.64		8.47	47.05	1.84			
7427 C					23.33	30.01		43.83				2.84
7428 C			16.02			16.28		58.17	6.35			3.17
7429 C		96.19	0.49			0.61		2.71				
7430 C		88.53	4.37					6.99	0.11			
7431 C		75.01	7.77					16.56				0.66
7432 C		50.66		11.42				36.51	1.41			
7433 C		25.08	18.18					55.41				1.33
7434 C		13.50	12.31		17.34			54.45	2.41			
7435 C					38.66			55.83	3.35			2.16
7436 C		98.48						1.16			0.36	
7437 C		92.83	1.26					5.53		0.37		
7438 C		92.01						6.73			1.25	
7439 C		82.71	3.60					12.75		0.94		
7440 C		69.86	7.62					20.98		1.54		
7441 C	45.00	44.99						3.07			6.94	
7442 C	78.31							7.92			13.77	
7443 C		98.37						1.30		0.33		
7444 C		93.82	0.38					4.67		1.13		
7445 C		95.95								0.75	2.48	0.83
7446 C		84.62						12.87		2.51		
7447 C		67.14								0.42	26.82	5.62
7448 C		37.48						34.93			12.66	14.92
7449 C		11.08			59.92						20.98	8.01
7450 C		96.80						2.32		0.79		0.10
7451 C		95.66								2.42	1.92	
7452 C		93.54								2.67	3.80	
7453 C		90.12	0.24					5.89		3.75		
7454 C		78.38	6.57					9.83		5.22		
7455 C		63.95						21.23		12.99	1.83	
7456 C		75.01	2.52					15.94		5.33	1.21	
7457 C		98.93							0.50	0.56		
7458 C		94.43						0.75		3.91		0.91
7459 C		76.34			9.75				2.15	11.76		
7460 C	52.21				0.78				6.43	40.58		
7461 C		73.51						1.49		24.03		0.98
7462 C		38.98	13.39					23.95		23.68		
7463 C			26.16					52.74		17.25		3.85
7464 C		92.86	5.13							1.74		0.27
7465 C		80.33	10.73	1.66					2.93	4.36		
7466 C	35.00	45.47							13.14	6.39		
7467 C	35.00	37.86							18.12	9.02		
7468 C		58.62				6.80			2.85	31.73		
7469 C		40.88				8.34			3.16	47.62		
7470 C		21.61	37.36					21.15		19.88		
7471 C		93.28	0.10						6.62			
7472 C		82.54	7.70	2.10	2.26					5.40		
7473 C		61.24	17.00	7.60	3.74					10.41		
7474 C		46.32			12.49				23.88	17.30		

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
7475 C		78.78							10.31	4.44		6.47
7476 C		18.86		17.89	31.46					31.79		
7477 C		55.31								27.88	0.74	16.07
7478 C		87.27	9.35						3.38			
7479 C		57.62	31.70	1.46					9.22			
7480 C		31.80	47.11	1.79					19.30			
7481 C		3.60	72.00	3.36					21.04			
7482 C		11.18	73.76	5.46						9.60		
7483 C			43.80		27.31	5.57			18.22	5.10		
7484 C		5.12		11.07	25.40		3.62		54.79			
7485 C		93.75	4.88	1.08						0.29		
7486 C		76.73	21.25	1.02					0.55	0.44		
7487 C		46.46	47.99	2.21					3.34			
7488 C		26.03	64.96	3.77					5.23			
7489 C		29.34	50.04	15.62				1.31		3.69		
7490 C			81.68	9.91				4.77		3.63		
7491 C		9.67	72.32	11.72						2.17		4.12
7492 C		70.09	27.62			1.76				0.53		
7493 C		79.71	15.72	2.92						0.48		1.18
7494 C		66.47	20.21		10.98					2.33		
7495 C		13.27	72.81	9.94						1.30		2.68
7496 C			70.93	19.76					5.33			3.98
7497 C		45.40	40.96			5.01						8.63
7498 C			59.74	21.22				9.00		4.34		5.70
7499 C		94.99	1.99	3.02								
7500 C		87.66	7.95	3.88							0.50	
7501 C		83.34	11.54	4.15							0.98	
7502 C		76.74	16.89		5.31							1.06
7503 C		51.06	43.76				3.67			1.50		
7504 C		45.74	45.23				4.32					4.71
7505 C		23.81	41.21		23.80	4.06						7.12
7506 C		92.60	2.49	3.40	1.51							
7507 C		88.11	2.69	5.38	3.83							
7508 C		71.19	19.95		8.32							0.53
7509 C		48.00	37.07	8.00	5.25						1.67	
7510 C		28.55	41.09	15.03	12.22			1.47				1.64
7511 C			62.07	11.25	20.20	3.74						2.75
7512 C				61.16	34.42							4.42
7513 C		88.71		5.16	5.23						0.90	
7514 C		79.04		8.33	10.59			0.75				1.29
7515 C		64.60		14.28	17.84			1.28				2.00
7516 C		5.07		40.94	34.03			15.07	4.89			
7517 C			39.01		44.38	10.85				0.74		5.03
7518 C		8.93	21.84		47.65			15.69		5.89		
7519 C		14.78		42.35	14.04			22.28		6.56		
7520 C		91.41			6.49	1.82			0.28			
7521 C		76.98	18.61				3.73			0.69		
7522 C		42.35	45.46				10.88			1.31		
7523 C		54.91			35.54		6.09					3.46
7524 C		34.14			57.19		4.90					3.77
7525 C		22.11	61.54				7.02	7.43		1.90		
7526 C				8.59	69.66	15.62			2.04			4.09
7527 C		98.37		1.07								0.55
7528 C		95.69		0.66	2.09							1.56

# PANTONE FORMULAS 2006

References	NX 900	NXB 100	NXB 200	NXB 210	NXB 300	NXB 310	NXB 320	NXB 34	NXB 40	NXB 51	NXB 55	NXB 700
7529 C		93.36		0.83	3.44							2.36
7530 C		86.91		2.75	6.41							3.93
7531 C		61.55		13.35	16.72							8.38
7532 C		36.48		24.89	26.25							12.39
7533 C		7.76	11.60		45.06	25.52				10.06		
7534 C		97.21	1.59		0.29			0.26				0.65
7535 C		96.15		1.99								1.86
7536 C		84.90	9.10		2.59							3.41
7537 C		96.04	0.90						0.46			2.60
7538 C		93.88	1.42						0.75			3.95
7539 C		95.22						0.09		0.27		4.42
7540 C		77.26						7.05		1.67		14.02
7541 C		99.52						0.21		0.27		
7542 C		89.76	4.63	1.12				3.12		1.37		
7543 C		95.00						2.15		1.07		1.78
7544 C		90.37						4.06		2.04		3.53
7545 C		51.13	15.39					20.00		7.06		6.42
7546 C		15.89		31.96				38.72		13.43		
7547 C				13.49				60.67		10.33		15.51
Cool Gray 1 C		98.32	0.96					0.57		0.14		
Cool Gray 10 C		51.74	16.60		15.28		8.59			7.79		
Cool Gray 11 C		32.13		32.35				26.96		8.56		
Cool Gray 2 C		98.11	0.76					0.54		0.17		0.42
Cool Gray 3 C		98.45						0.44		0.21		0.90
Cool Gray 4 C		97.36						0.86		0.34		1.44
Cool Gray 5 C		96.39						1.20		0.46		1.96
Cool Gray 6 C		88.56	3.38		4.49		1.74			1.83		
Cool Gray 7 C		82.54	4.47		8.13		2.17			2.69		
Cool Gray 8 C		77.09	7.33		8.35		3.64			3.59		
Cool Gray 9 C		64.64	16.36		5.22		8.11			5.66		
Warm Gray 1 C		98.80	0.73					0.26				0.21
Warm Gray 10 C		67.36	5.46		11.53	4.00						11.65
Warm Gray 11 C		55.52		15.45	9.59			5.76				13.69
Warm Gray 2 C		98.45	0.62				0.15					0.77
Warm Gray 3 C		97.68			0.77		0.03					1.53
Warm Gray 4 C		95.82			1.60							2.58
Warm Gray 5 C		94.26		0.10	2.35							3.29
Warm Gray 6 C		93.16			2.87		0.06					3.90
Warm Gray 7 C		87.20	1.25		5.88							5.67
Warm Gray 8 C		80.82	5.45		5.60		0.90					7.23
Warm Gray 9 C		76.27	6.05		8.12		0.99					8.57